

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S67	2	(partial with evaluat\$4) and (interact\$3 with sequences) and ((information or data) adj space)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 15:51
S68	3	(partial with evaluat\$4) and ((searh\$3 or seek\$3 or find\$3) adj (information of data)) and ((information or data) adj space)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 16:07
S69	4	(partial same evaluat\$4) and ((searh\$3 or seek\$3 or find\$3) adj (information of data)) and ((information or data) adj space)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 16:17
S70	0	(partial same evaluat\$4) and ((searh\$3 or seek\$3 or find\$3) adj (information of data)) and ((information or data) adj space) and ((simplif\$5 or alter\$5) near3 (program or instruction))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 16:20
S71	9	((searh\$3 or seek\$3 or find\$3) adj (information of data)) and ((information or data) adj space) and ((simplif\$5 or alter\$5) near3 (program or instruction))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 16:23
S72	0	S71 and (partial same (evaluat\$3 or valuat\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 16:22
S73	1	((partial with evaluat\$4) and (interact\$3 near3 sequences)) same (fewer adj state) and (information with space)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 15:40
S76	1	((partial same evaluat\$4) and (interact\$3 with sequences) same (fewer adj state)) and (information with space)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 15:38
S77	1	((partial same evaluat\$4) and (interact\$3 with sequences) same (fewer adj state))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 15:39

S78	1	(interact\$3 with sequences) same (fewer adj state)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 15:39
S79	1	(interact\$3 with sequences) same (fewer adj state)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 15:39
S80	1	(interact\$3 with sequences) same (fewer with state)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 15:39
S81	66	(interact\$3 with sequences) and (fewer with state)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 11:05
S82	3	S81 and (partial with evaluat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 15:58
S83	4	S81 and (partial same evaluat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 16:47
S84	4	S83 and space	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 16:45
S85	1	S81 and (out\$of\$turn)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 16:50
S86	1	S84 and dialog	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/15 16:50
S87	19	((interact\$3 with sequences) same program) and (fewer with state)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 11:06

S88	21	((interact\$3 with sequences) same (model or program)) and (fewer with state)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 11:21
S89	1	S88 and (nested adj variable)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 11:19
S90	2	S88 and (partial same evaluat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 11:19
S91	46	((interact\$3 with sequences) same (model or program)) and (partial same evaluat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 11:23
S92	3	S91 and (personaliz\$5 same interact\$8)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 11:26
S93	4	S91 and (personaliz\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 15:27
S94	70659	structur\$3 near\$5 (aspect or variable)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 12:26
S95	28433	terminal near\$5 (aspect or variable)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 12:27
S96	1611	S94 and S95	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 12:29
S97	74	S96 and (sequen\$3 same conditional)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 12:30

S98	28	S97 and ((declar\$3 or defin\$3) near5 variable)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 12:39
S10 0	1	S98 and ((simplif\$3 or filt\$3) near5 (state\$2 or step\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 12:39
S10 1	12	S98 and ((simplif\$3 or filt\$3) same (state\$2 or step\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 12:39
S10 2	1	S98 and 717/110,125,151,154.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 12:40